

# FINTEK

## CANBus Series

### Windows Software Programming Guide

V1.15

November 28, 2024

11/28/2024

## Contents

1.	Fintek CANBus DLL Control APIs.....	2
1.1	Support Fintek CANBus IC .....	2
1.2	Function List.....	2
1.2.1	FintekCanbus_Open.....	3
1.2.2	FintekCanbus_Close .....	3
1.2.3	FintekCanbus_SetBaudRate .....	4
1.2.4	FintekCanbus_GetBaudRate.....	6
1.2.5	FintekCanbus_SetId .....	6
1.2.6	FintekCanbus_SetFilter .....	7
1.2.7	FintekCanbus_ClearFilter .....	7
1.2.8	FintekCanbus_SetAcrAmrFilter .....	7
1.2.9	FintekCanbus_SetErrorFilter .....	12
1.2.10	FintekCanbus_GetErrorFilter.....	12
1.2.11	FintekCanbus_Setler .....	13
1.2.12	FintekCanbus_Getler.....	13
1.2.13	FintekCanbus_GetErrorCode .....	14
1.2.14	FintekCanbus_Send .....	14
1.2.15	FintekCanbus_Receive.....	15
1.2.16	FintekCanbus_ReceiveEx .....	16
1.2.17	FintekCanbus_Receive_Polling.....	17
1.2.18	FintekCanbus_GetIdVal (F81601 only) .....	17
1.2.19	FintekCanbus_SetCtrlVal (F81604 only) .....	18
1.2.20	FintekCanbus_GetCtrlVal (F81604 only).....	18
1.2.21	FintekCanbus_SetMode .....	18
1.2.22	FintekCanbus_GetMode.....	19
1.2.23	FintekCanbus_Reset .....	19
1.2.24	FintekCanbus_Create.....	20
1.2.25	FintekCanbus_Delete .....	20
1.2.26	FintekCanbus_Start .....	20
1.2.27	FintekCanbus_Stop .....	21
1.2.28	FintekCanbus_CheckReceiveBuffer.....	21
1.3	Error Codes .....	22

# 1. Fintek CANBus DLL Control APIs

## 1.1 Support Fintek CANBus IC

- F81601/F81602/F81604

## 1.2 Function List

This section provides the specifications of all Fintek CANBus functions and structures. All APIs use the naming convention FintekCanbus\_xxx specific to below table:

<i>ID</i>	<i>Function Name</i>
1.2.1	FintekCanbus_Open
1.2.2	FintekCanbus_Close
1.2.3	FintekCanbus_SetBaudRate
1.2.4	FintekCanbus_GetBaudRate
1.2.5	FintekCanbus_SetId
1.2.6	FintekCanbus_SetFilter
1.2.7	FintekCanbus_ClearFilter
1.2.8	FintekCanbus_SetAcrAmrFilter
1.2.9	FintekCanbus_SetErrorFilter
1.2.10	FintekCanbus_GetErrorFilter
1.2.11	FintekCanbus_Setler
1.2.12	FintekCanbus_Getler
1.2.13	FintekCanbus_GetErrorCode
1.2.14	FintekCanbus_Send
1.2.15	FintekCanbus_Receive
1.2.16	FintekCanbus_ReceiveEx
1.2.17	FintekCanbus_Receive_Polling
1.2.18	FintekCanbus_GetIdVal (F81601 only)
1.2.19	FintekCanbus_SetCtrlVal (F81604 only)
1.2.20	FintekCanbus_GetCtrlVal (F81604 only)
1.2.21	FintekCanbus_SetMode
1.2.22	FintekCanbus_GetMode

1.2.23	FintekCanbus_Reset
1.2.24	FintekCanbus_Create
1.2.25	FintekCanbus_Delete
1.2.26	FintekCanbus_Start
1.2.27	FintekCanbus_Stop
1.2.28	FintekCanbus_CheckReceiveBuffer

## 1.2.1 FintekCanbus\_Open

**long FintekCanbus\_Open(IN char\* sComPortNumber);**

**Function:** Open Canbus virtual COM Port.

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.2 FintekCanbus\_Close

**long FintekCanbus\_Close(IN char\* sComPortNumber);**

**Function:** Close Canbus virtual COM Port.

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.3 FintekCanbus\_SetBaudRate

**long FintekCanbus\_SetBaudRate(IN char\* sComPortNumber, IN DWORD BaudRate);**

**Function:** Set Canbus port Baud Rate.

**Parameters:**

sComPortNumber: COM port number.

BaudRate:

1M:1000000

800K:800000

500K:500000

250K:250000

100K:100000

50K:50000

20K:20000

10K:10000

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

**How to use the Parameters “BaudRate” to input sample point (BTR value) settings for the Fintek CAN controller:**

You can use the parameter “BaudRate” to set a special BAUDRATE or specify a sample point for a specific application. For the setting method of sample point and BTR. Please refer to APPLICATION NOTE "Determination of Bit Timing Parameters for the CAN Controller SJA 1000 AN97046".

**Parameters:**

BaudRate:

bit[16]: Activate custom BAUDRATE sample point setting

bit[15:0]: Bit Timing Register (BTR) value

The following table shows the default value of BTR for each BAUDRATE of the FINTEK controller:

F81601		
CAN baudrate	Default BTR value (hex)	sample point%
1000	0018	83.33
800	001B	86.67
500	0118	83.33
250	021C	87.5
125	051C	87.5
100	0918	83.33
50	0E1C	87.5
20	271B	86.67
10	3B2F	85

F81604		
CAN baudrate	Default BTR value (hex)	sample point%
1000	C027	75
800	C039	73.33
500	C127	75
250	C23S	75
125	C53A	75
100	C54D	75
50	CB4D	75
20	DD4D	75
10	FB4D	75

**Example** for F81601/F81604 with clock frequency 24 MHz for the CAN controller, BTR=0xC009:

```
FintekCanbus_SetBaudRate("COM10", 0x1C009)
```

So, for this example, a BTR value of 0xC009 gives a CAN baudrate of 1000 kBit/second.

## 1.2.4 FintekCanbus\_GetBaudRate

**long FintekCanbus\_GetBaudRate(IN char\* sComPortNumber, OUT DWORD\* BaudRate);**

**Function:** Get Canbus port Baud Rate.

**Parameters:**

sComPortNumber: COM port number.

\*BaudRate:

1M:1000000

800K:800000

500K:500000

250K:250000

100K:100000

50K:50000

20K:20000

10K:10000

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.5 FintekCanbus\_SetId

**long FintekCanbus\_SetId(IN char\* sComPortNumber, IN CanFrameFormat type, IN DWORD id);**

**Function:** Set Canbus id.

**Parameters:**

sComPortNumber: COM port number.

type: An CanFrameFormat enumerated type specifying the CAN protocol with 11bit or 29bit.

```
enum class CanFrameFormat {
```

```
    CP_29Bit,
```

```
    CP_11Bit
```

```
};
```

id: Specified the id.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.6 FintekCanbus\_SetFilter

**long FintekCanbus\_SetFilter(IN char\* sComPortNumber, IN DWORD pattern, IN DWORD mask);**

**Function:** Set Canbus port Filter. Default: pattern:0; mask:0, all frame will be received

**Parameters:**

sComPortNumber: COM port number.

pattern: Specified CAN ID pattern to filter.

mask: Specified the mask for filter.

**Return Value:**

If the function succeeds, the return value is filter total count - 1 (0-14, MAX: 15). If the function fails, the return value is error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.7 FintekCanbus\_ClearFilter

**long FintekCanbus\_ClearFilter(IN char\* sComPortNumber);**

**Function:** Clear Canbus port Filter.

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.8 FintekCanbus\_SetAcrAmrFilter

**long FintekCanbus\_SetAcrAmrFilter(IN char\* sComPortNumber, IN char cFilterMode, IN DWORD acr, IN DWORD amr)**

**Function:** Set Canbus port ACR/AMR HW Filter.

**Parameters:**

sComPortNumber: COM port number.

cFilterMode: 1: Single Filter, 0: Dual Filter.

acr: Specified CAN ID ACR (Acceptance Code Register).

amr: Specified the AMR (Acceptance Mask Register).



### Return Value:

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.


**Notice:**


With the help of the acceptance filter the CAN controller is able to allow passing of received messages to the RXFIFO only when the identifier bits of the received message are equal to the predefined ones within the acceptance filter registers. The acceptance filter is defined by the Acceptance Code Registers (ACR) and the Acceptance Mask Registers (AMR). The bit patterns of messages to be received are defined within the acceptance code registers.

The corresponding acceptance mask registers allow to define certain bit positions to be 'don't care'.

Two different filter modes are selectable within the mode:

1. Single filter mode (cFilterMode is 1).





MSB                      LSB      MSB                      MSB

filter 1 {  

ACR0							
7	6	5	4	3	2	1	0

ACR1			
7	6	5	4

message {  

ID.28	ID.27	ID.26	ID.25	ID.24	ID.23	ID.22	ID.21
-------	-------	-------	-------	-------	-------	-------	-------

ID.20	ID.19	ID.18	RTR
-------	-------	-------	-----

filter 2 {  

AMR2							
7	6	5	4	3	2	1	0

AMR3			
7	6	5	4


MSB                      LSB      MSB                      MSB

ACR = Acceptance Code Register  
AMR = Acceptance Mask Register

filter 1 {  
acceptance mask bit  
acceptance code bit  
message bit

filter 2 {  
acceptance code bit  
acceptance mask bit

logic 1 = accepted  
logic 0 = not accepted



## 1.2.9 FintekCanbus\_SetErrorFilter

**long FintekCanbus\_SetErrorFilter (IN char\* sComPortNumber, IN UCHAR errorfilter);**

**Function:** Set Canbus port error or warning report filter. Parameter errorfilter allow to define certain bit positions to be 'don't care'.

**Parameters:**

sComPortNumber: COM port number.

errorfilter: Set 0 to ignore the Error/Warning Bit report.

BIT7: Bus Error

BIT6: Arbitration Lost

BIT5: Error Passive

BIT4: Wake-Up

BIT3: Data Overrun

BIT2: Error Warning

BIT0-1: Reserved. Must to be 0

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.10 FintekCanbus\_GetErrorFilter

**long FintekCanbus\_GetErrorFilter (IN char\* sComPortNumber, OUT UCHAR\* errorfilter);**

**Function:** Get Canbus port error or warning report filter value.

**Parameters:**

sComPortNumber: COM port number.

\*errorfilter: Error/Warning Bit report value, 0 is ignore.

BIT7: Bus Error

BIT6: Arbitration Lost

BIT5: Error Passive

BIT4: Wake-Up

BIT3: Data Overrun

BIT2: Error Warning

BIT0-1: Reserved. Must to be 0

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.11 FintekCanbus\_Setler

**long FintekCanbus\_Setler(IN char\* sComPortNumber, IN UCHAR ier);**

**Function:** Set Canbus port interrupt enable register (IER). The function allows to enable/disable different types of interrupt sources

**Parameters:**

sComPortNumber: COM port number.

ier: Set 1 to enable the interrupt Bit report.

BIT7: Bus Error interrupt

BIT6: Arbitration Lost interrupt

BIT5: Error Passive interrupt

BIT4: Wake-Up interrupt

BIT3: Data Overrun interrupt

BIT2: Error Warning interrupt

BIT0-1: Reserved. Must to be 1

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.12 FintekCanbus\_Getler

**long FintekCanbus\_Getler(IN char\* sComPortNumber, OUT UCHAR\* ier);**

**Function:** Get Canbus port interrupt enable register (IER).

**Parameters:**

sComPortNumber: COM port number.

\*ier: The interrupt Bit report value, 0 is disable, 1 is enable.

BIT7: Bus Error interrupt

BIT6: Arbitration Lost interrupt

BIT5: Error Passive interrupt

BIT4: Wake-Up interrupt

BIT3: Data Overrun interrupt  
 BIT2: Error Warning interrupt  
 BIT0-1: Reserved. Must to be 1

#### Return Value:

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.13 FintekCanbus\_GetErrorCode

**long FintekCanbus\_GetErrorCode(IN char\* sComPortNumber, OUT DWORD\* ErrorCode);**

**Function:** Get Canbus port error code value.

#### Parameters:

sComPortNumber: COM port number.

\*ErrorCode:

bit [31:24]: Receive Error Counter

bit [23:16]: Transmit Error Counter

bit[15:8]: Error Code Capture

bit[7]: Bus Error

bit[6]: Arbitration Lost

bit[5]: Error Passive

bit[3]: Data Overrun

bit[2]: Error Warning

#### Return Value:

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.14 FintekCanbus\_Send

**long FintekCanbus\_Send(IN char\* sComPortNumber, CanFrameInfor\* msg);**

**Function:** Send Canbus frame to virtual COM Port.

#### Parameters:

sComPortNumber: COM port number.

msg: The send frame, include frame format, frame id, frame length and frame data.

```
struct CanFrameInfor {
```

```

CanFrameFormat type;
BYTE    rtr;
DWORD   id;
BYTE    data_len;
BYTE    data[CANBUS_MAX_DATA_SIZE];

};

enum class CanFrameFormat {
    CP_29Bit,
    CP_11Bit
};

```

### Return Value:

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.15 FintekCanbus\_Receive

**long FintekCanbus\_Receive(IN char\* sComPortNumber, IN CanFrameInforProc callback);**

**Function:** Receive Canbus frame to virtual COM Port.

### Parameters:

sComPortNumber: COM port number.

callback:

typedef void(CALLBACK \*CanFrameInforProc)(long error, CanFrameInfor\* msg);

```

struct CanFrameInfor {
    CanFrameFormat type;
    BYTE    rtr;
    DWORD   id;
    BYTE    data_len;
    BYTE    data[CANBUS_MAX_DATA_SIZE];
};

enum class CanFrameFormat {
    CP_29Bit,
    CP_11Bit
};

```



### Return Value:

If the function succeeds, the return value is zero. If the function fails, the callback parameter "error" is nonzero and the error code generated by it. You can find more information about error codes at the section 1.3 of the document.

## 1.2.16 FintekCanbus\_ReceiveEx

**long FintekCanbus\_ReceiveEx(IN char\* sComPortNumber, IN CanFrameInforProc callback);**

**Function:** Receive Canbus frame to virtual COM Port.

### Parameters:

sComPortNumber: COM port number.

callback:

```
typedef void(CALLBACK *CanFrameInforProcEx)(long error, CanFrameInforEx* msg);
```

```
struct CanFrameInforEx {
    CanFrameFormat type;
    INT      com_number;
    BYTE     rtr;
    DWORD    id;
    BYTE     data_len;
    DWORD    FrameInQueue;
    BYTE     data[CANBUS_MAX_DATA_SIZE];
};

enum class CanFrameFormat {
    CP_29Bit,
    CP_11Bit
};
```

### Return Value:

If the function succeeds, the return value is zero. If the function fails, the callback parameter "error" is nonzero and the error code generated by it. You can find more information about error codes at the section 1.3 of the document.

## 1.2.17 FintekCanbus\_Receive\_Polling

**long FintekCanbus\_Receive\_Polling(IN char\* sComPortNumber, CanFrameInfor\* msg, IN DWORD timeout);**

**Function:** Receive Canbus frame to virtual COM Port.

**Parameters:**

sComPortNumber: COM port number.

msg: The receive frame, include frame format, frame id, frame length and frame data.

```
struct CanFrameInfor {
    CanFrameFormat type;
    BYTE rtr;
    DWORD id;
    BYTE data_len;
    BYTE data[CANBUS_MAX_DATA_SIZE];
};

enum class CanFrameFormat {
    CP_29Bit,
    CP_11Bit
};
```

timeout: Receive timeout.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the callback parameter "error" is nonzero and the error code generated by it. You can find more information about error codes at the section 1.3 of the document.

## 1.2.18 FintekCanbus\_GetIdVal (F81601 only)

**long FintekCanbus\_GetIdVal(IN char\* sComPortNumber, OUT UCHAR\* IdVal);**

**Function:** Get F81601 id value from ID pins, this API is only support for F81601.

**Parameters:**

sComPortNumber: COM port number.

\* IdVal: 0~7.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.19 FintekCanbus\_SetCtrlVal (F81604 only)

**long FintekCanbus\_SetCtrlVal(IN char\* sComPortNumber, IN UCHAR CtrlVal);**

**Function:** Set F81604 CTRL value from CTRL pins, this API is only support for F81604.

**Parameters:**

sComPortNumber: COM port number.

CtrlVal: 0 or 1.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.20 FintekCanbus\_GetCtrlVal (F81604 only)

**long FintekCanbus\_GetCtrlVal(IN char\* sComPortNumber, OUT UCHAR\* CtrlVal);**

**Function:** Get F81604 CTRL value from CTRL pins, this API is only support for F81604.

**Parameters:**

sComPortNumber: COM port number.

\*CtrlVal: 0 or 1.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.21 FintekCanbus\_SetMode

**long FintekCanbus\_SetMode(IN char\* sComPortNumber, IN UCHAR mode);**

**Function:** Set Canbus Mode. The function allows to change the behaviour of the CAN controller.

**Parameters:**

sComPortNumber: COM port number.

mode: Set 1 to enable the Canbus Mode.

BIT3: Acceptance Filter Mode: 1: Single Filter, 0: Dual Filter.

BIT1: Listen Only Mode: 1 is enable, 0 is disable.

BIT0, 2, 4-7: Reserved.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.22 FintekCanbus\_GetMode

**long FintekCanbus\_GetMode(IN char\* sComPortNumber, OUT UCHAR\* mode);**

**Function:** Get Canbus Mode.

**Parameters:**

sComPortNumber: COM port number.

\* mode: The Mode Bit report value.

BIT3: Acceptance Filter Mode: 1: Single Filter, 0: Dual Filter.

BIT1: Listen Only Mode: 1 is enable, 0 is disable.

BIT0, 2, 4-7: Reserved.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.23 FintekCanbus\_Reset

**long FintekCanbus\_Reset(IN char\* sComPortNumber, IN UCHAR mode);**

**Function:** Reset canbus port.

**Parameters:**

sComPortNumber: COM port number.

mode: Reserved. Must to be 0

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.24 FintekCanbus\_Create

**long FintekCanbus\_Create(IN char\* sComPortNumber);**

**Function:** Initializes (create) canbus port but does not start it. Please use function FintekCanbus\_Start to startup. The difference from FintekCanbus\_Open function is that includes initialization and startup.

**FintekCanbus\_Open = FintekCanbus\_Create + FintekCanbus\_Start**

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.25 FintekCanbus\_Delete

**long FintekCanbus\_Delete(IN char\* sComPortNumber);**

**Function:** UnInitializes (Delete) canbus port. This call is a reciprocal to FintekCanbus\_Create.

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.26 FintekCanbus\_Start

**long FintekCanbus\_Start(IN char\* sComPortNumber);**

**Function:** Start canbus port. You must initialize canbus before using this function. Please refer to the function FintekCanbus\_Create description.

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error

code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.27 FintekCanbus\_Stop

**long FintekCanbus\_Stop(IN char\* sComPortNumber);**

**Function:** Stop canbus port. This call is a reciprocal to FintekCanbus\_Start

**Parameters:**

sComPortNumber: COM port number.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error code generated by the API. You can find more information about error codes at the section 1.3 of the document.

## 1.2.28 FintekCanbus\_CheckReceiveBuffer

**long FintekCanbus\_CheckReceiveBuffer(IN char\* sComPortNumber, OUT DWORD\* existBytes);**

**Function:** Get the number of bytes in the receiver buffer.

**Parameters:**

sComPortNumber: COM port number.

existBytes: The number of bytes received.

**Return Value:**

If the function succeeds, the return value is zero. If the function fails, the return value is nonzero and the error

## 1.3 Error Codes

The below table lists errors that Fintek CANBus functions API returns in response to calls.

Error Code	Description
0x80000005	CAN number ERROR
0x80000007	Thread ERROR
0x8005FFFF	F8160X FATAL ERROR(bus off)
0x80050FFF	CAN BUFFER FULL
0x80060002	INVALID HANDLE VALUE
0x80060003	No response from device
0x80060008	CAN function called fail
0x80060101	CAN communication fail
0x80060201	Write fail
0x80060202	Read fail
other	CAN ERROR: bit [31:24]: Receive Error Counter bit [23:16]: Transmit Error Counter bit[15:8]: Error Code Capture bit[7]: Bus Error bit[6]: Arbitration Lost bit[5]: Error Passive bit[3]: Data Overrun bit[2]: Error Warning